



— COMPANY PROFILE

PT KUWAIT INDONESIA PARTNERSHIP

—
CONTRACTING, IMPORT & EXPORT

JAKARTA · INDONESIA






— OVERVIEW

Table of Contents

- 01 Who we are
- 02 Vision and Mission
- 03 The Partnership in numbers
- 04 Services
- 05 Products
- 06 Contacts





01

Who we are

An introduction to the company, its mines, equipment and global reach.





— ABOUT THE COMPANY

Who we are

PT Kuwait Indonesia Partnership is a leading company in the field of production and export of silica sand and mining with 10 years of experience in this field. The company owns a group of the best silica mines located inside Egypt in Zaafarana in the Red Sea and Abu Zneim in South Sinai, which is characterized by the highest quality silica and the best price and we have the latest and the best equipment to provide the best products.

The company has the best transport fleet and contractors with shipping lines for easy and quick transportation of silica inside or outside Egypt. Silica can be exported to: Cyprus, Greece, Spain, India, the Emirates, Kuwait, Malta, Turkey, Qatar, Senegal, Algeria, Libya, Japan, Syria, Lebanon, Georgia, Croatia, the Philippines, Iraq, and the Sultanate of Oman.

10 YEARS

35 COUNTRIES

150 CLIENTS



Vision & Mission



Vision

We seek to achieve a strong position and reputation locally and globally by providing the finest types of sand, facilitating shipping and transportation methods, and using the best equipment to maintain quality in order to participate in a bright and prosperous future.



Mission

Production and supply of silica sand and yellow sand with high quality suitable for all industries and uses



— BY THE NUMBERS

The Partnership in numbers



150

HAPPY CUSTOMER



35

COUNTRIES WE EXPORT TO



10

YEARS OF EXPERIENCE



50

ENGINEER AND TECHNICIAN

“

We carry out our work with flexibility and high effectiveness, and with confidence we make bold decisions that enhance the interests of our partners.



WHAT WE DO

Services



Extracting high-quality sand

We extract and produce Silica sand and yellow sand with the highest quality which used multiple fields with a large production.



Exporting to all countries of the world

From our quarry, we export our sand to all countries of the world, leaving our mark and honoring our country



International shipping to all metals

We extract and produce high-quality minerals and ship them internationally.



Supply to factories inside Egypt

We extract and produce Silica sand and yellow sand with the highest quality and supply them inside Egypt.





02

Products

A complete portfolio of minerals, sands, cements and industrial materials.



SPECIFICATION

PRODUCT

Pure Silica

COMPONENT	VALUE
SiO ₂	99.63 %
Moisture	0.04 %
L.O.I	0.18 %
Fe ₂ O ₃	0.0107 %
Al ₂ O ₃	0.076 %
CaO	0.035 %
MgO	0.0041 %
Cr ₂ O ₃	1.828 PPM

COMPONENT	VALUE
TiO ₂	0.01 %
Na ₂ O	0.0067 %
SIEVE (MM)	
+ 0.600 mm	0.09
+ 0.300 mm	67.12
+ 0.150 mm	30.06
- 0.150 mm	2.73



PRODUCT

Silica Sand

TYPE 1

COMPONENT	VALUE
SiO ₂	99.63 %
Moisture	0.04 %
L.O.I	0.18 %
Fe ₂ O ₃	0.012 - 0.014 %
Al ₂ O ₃	0.076 %
CaO	0.035 %
MgO	0.0041 %
Cr ₂ O ₃	1.828 PPM

COMPONENT	VALUE
TiO ₂	0.01 %
Na ₂ O	0.0067 %
SIEVE (MM)	
+ 0.600 mm	0.09
+ 0.300 mm	67.12
+ 0.150 mm	30.06
- 0.150 mm	2.73





PRODUCT

Silica Sand

TYPE 2

COMPONENT	VALUE
SiO ₂	99.7 %
L.O.I	0.25 %
Fe ₂ O ₃	0.017 - 0.025 %
Al ₂ O ₃	0.40 %
CaO	0.03 %
MgO	0.005 %
Cr ₂ O ₃	0.0005 %
TiO ₂	0.035 %
Na ₂ O	Traces
K ₂ O	Traces
MnO	Traces



PRODUCT

Ilmenite

TITANIUM

COMPONENT	VALUE
TiO ₂	50 - 76 %
SiO ₂	0.65 %
FeO	5.60 %
Fe ₂ O ₃	11.21 %
Al ₂ O ₃	2.48 %
MgO	1.02 %
ZrO ₂	0.07 %

COMPONENT	VALUE
ZnO	0.02 %
P ₂ O ₅	0.11 %
Pb	0.02 %
Cr ₂ O ₃	0.00
MnO	0.00
U	0.00
Th	0.00





SPECIFICATION

PRODUCT

Manganese

COMPONENT	VALUE
Mn	25 - 33 %
Fe	25.00 %
SiO ₂	15.00 %
Al ₂ O ₃	5.00 %
CaO	3.00 %
MgO	2.00 %
P	0.50 %
SIEVE (MM)	
Above 6.3 mm	15 %
From 0.0 to 6.3 mm	85 %



PRODUCT

Gypsum

COMPONENT	VALUE
CaO	31.54 %
SO ₃	45.62
SiO ₂	0.37 %
Al ₂ O ₃	0.06 %
Fe ₂ O ₃	0.03 %
MgO	0.68 %
K ₂ O	0.01 %
Na ₂ O	0.02 %
Cl	0.02 %
SrO	0.59 %
LOI	21.05





PRODUCT

Kaolin

COMPONENT	VALUE
Al ₂ O ₃	33 %
Fe ₂ O ₃	1.3 %
SiO ₂	48 - 52 %
TiO ₂	2 - 2.5 %
Size	0 - 40 cm



PRODUCT

Lemonite

YELLOW IRON OXIDE

COMPONENT	VALUE
Fe ₂ O ₃	84.066 %
SiO ₂	1.08 %
Al ₂ O ₃	0.36 %
CaO	0.15 %
Na ₂ O	0.33 %
K ₂ O	0.04 %
P ₂ O ₅	0.33 %

COMPONENT	VALUE
MnO	0.06 %
ZnO	0.05 %
SO ₃	0.98 %
Cl	0.25 %
MgO	0.19 %
L.O.I	12.10 %
Total	99.98





SPECIFICATION

PRODUCT

Hematite

RED IRON OXIDE

COMPONENT	VALUE
Fe ₂ O ₃	74.9 %
Fe	52.9 %
SiO ₂	8.4 %
Al ₂ O ₃	5.62 %
CaO	5.15 %
Na ₂ O	0.16 %
K ₂ O	0.05 %

COMPONENT	VALUE
P ₂ O ₅	0.4 %
Mn	0.54 %
FeO	0.00 %
SO ₃	1.3 %
TiO ₂	0.2 %
MgO	0.34 %
L.O.I	3.7 %



PRODUCT

Magnetite

BLACK IRON OXIDE

COMPONENT	VALUE
Fe ₂ O ₃	62 %
SiO ₂	8.71 %
Al ₂ O ₃	3.04 %
CaO	2.24 %
Na ₂ O	0.423 %
K ₂ O	0.269 %

COMPONENT	VALUE
P ₂ O ₅	0.165 %
MnO	0.962 %
MgO	2.00 %
Cl	0.053 %
TiO ₂	18.6 %
L.O.I	0.65 %





SPECIFICATION

PRODUCT

Phosphate

COMPONENT	VALUE
P ₂ O ₅	30.0 %
CaO	47 - 48 %
MgO	0.30 - 0.40 %
Al ₂ O ₃	0.4 - 0.6 %
Fe ₂ O ₃	1.9 - 2.2 %
K ₂ O	0.02 - 0.06 %
Na ₂ O	0.30 - 0.60 %
SiO ₂	7.5 - 9 %
SO ₃	1.5 - 2 %

COMPONENT	VALUE
F	3 - 3.1 %
Cl	0.05 - 0.07 %
L.O.I	6.5 - 7.5 %
CO ₂	4.5 - 5.2 %
Org. matt.	0.15 - 0.25 %
CaCO ₃	10.2 - 11.8 %
Solubility 2% (citric)	32 - 35 %
Solubility 2% (formic)	44 - 47 %



PRODUCT

Quartz

COMPONENT	VALUE
SiO ₃	99.621 %
Na ₂ O	0.028 %
MgO	0.018 %
Al ₂ O ₃	0.120
P ₂ O ₅	0.008 %
SO ₃	0.079 %
K ₂ O	0.035 %

COMPONENT	VALUE
CaO	0.044 %
TiO ₂	0.026 %
Fe ₂ O ₃	0.007 %
ZnO	0.002 %
BaO	0.023 %
Cl	0.032 %





PRODUCT

Flent Pebbles

COMPONENT	VALUE
Size	4 - 15 mm





PRODUCT

Ice melting salt

COMPONENT	VALUE
CaCO ₃	0.00 %
Ca(HCO ₃)	0.032 %
CaSO ₄	0.571 %
MgSO ₄	0.312 %
MgCl ₂	0.00 %
Na ₂ SO ₄	0.500 %
NaCl (wet)	98.273 %
NaCl (dry)	98.667 %





SPECIFICATION

PRODUCT

Calcium Carbonate

COMPONENT	VALUE
Combined water	19.5 %
CaSO ₄ 2H ₂ O	90 %
CaO	30.5 - 33 %
SO ₃	43.5 - 46 %
MgO	0.10 %
Al ₂ O ₃ + Fe ₂ O ₃	0.25 %
Cl	0.008 %
Whiteness	90 - 95 %
Size	0 - 15 cm (90%)



PRODUCT

Potassium Feldspar

COMPONENT	VALUE
SiO ₂	72.44 %
Al ₂ O ₃	19.95 %
CaO	0.20 %
Na ₂ O	0.25 %
K ₂ O	11.31 %
MgO	0.01 %
Fe ₂ O ₃	0.19 %
TiO ₂	0.06 %
P ₂ O ₅	0.21 %
SO ₃	0.01 %





SPECIFICATION

PRODUCT

Sodium Feldspar

COMPONENT	VALUE
SiO ₂	70 %
Al ₂ O ₃	18 %
Na ₂ O	10.5 %
K ₂ O	0.25 %
Fe ₂ O ₃	0.040 %
MgO	0.04 %
TiO ₂	0.25 %
CaO	0.80 %
Moisture	0.12 %



PRODUCT

Silica Fume

COMPONENT	VALUE
SiO ₂	88 %
Al ₂ O ₃	1.00 %
K ₂ O	0.73 %
Na ₂ O	0.60 %
Fe ₂ O ₃	1.45 %
TiO ₂	1.50 %
CaO	2.05 %
MgO	0.67 %
Moisture	1.00 %
L.O.I	3.00 %





SPECIFICATION

PRODUCT

White Silica

COMPONENT	VALUE
SiO ₂	80 %
Al ₂ O ₃	5.38 %
Fe ₂ O ₃	0.45 %
TiO ₂	3.50 %
CaO	7.45 %
MgO	0.02 %
Na ₂ O	0.03 %
L.O.I	3.00 %



PRODUCT

Potassium Chloride

COMPONENT	VALUE
Appearance	White powder - free flowing
Purity	> 96 %
Moisture	≤ 0.5 %
Anti-caking	≥ 2 %



SPECIFICATION



PRODUCT

Portland Cement

CEM I 52.5 N

COMPONENT	VALUE
Soundness (Expansion)	1 mm
Fineness, Blaine (cm ² /g)	3650
Initial setting time	175 min
Water consistency	26
COMPRESSIVE STRENGTH (MPA)	
2 days	22.5
28 days	55.0
SiO ₂	19.77

COMPONENT	VALUE
Al ₂ O ₃	5.01
Fe ₂ O ₃	3.44
CaO	61.78
MgO	1.15
SO ₃	3.55
Na ₂ O	0.37
K ₂ O	0.23
Cl	0.05



PRODUCT

Portland Pozzolanic Cement

CEM II / A-P 42.5 N

COMPONENT	VALUE	COMPONENT	VALUE
Soundness (Expansion)	1 mm	Al ₂ O ₃	5.58
Fineness, Blaine (cm ² /g)	3550	Fe ₂ O ₃	4.33
Initial setting time	1750 min	CaO	58.91
Water consistency	27	MgO	1.33
COMPRESSIVE STRENGTH (MPA)		SO ₃	3.35
2 days	15.5	Na ₂ O	0.45
28 days	46.0	K ₂ O	0.25
SiO ₂	20.55	Cl	0.05





PRODUCT

Portland Pozzolan Cement

CEM II 32.5 N

COMPONENT	VALUE
Soundness (Expansion)	1 mm
Fineness, Blaine (cm ² /g)	3950
Initial setting time	165 min
Water consistency	28
COMPRESSIVE STRENGTH (MPA)	
2 days	17.0
28 days	37.0
SiO ₂	21.19

COMPONENT	VALUE
Al ₂ O ₃	6.15
Fe ₂ O ₃	6.16
CaO	54.45
MgO	1.68
SO ₃	3.20
Na ₂ O	0.85
K ₂ O	0.27
Cl	0.03



PRODUCT

Granular Urea

COMPONENT	VALUE
Total Nitrogen (N)	46 %
Bluret content	1.0 %
Moisture (H ₂ O) Fischer method	0.3 %
Formaldehyde	0.55 %
Free ammonia	100 ppm
pH (100g/l at 20 °C)	~ 9
Iron	1.0 ppm
Ash	20 ppm
Other heavy metals	zero



SPECIFICATION



— GET IN TOUCH

Contact Us

We are pleased to provide our products to many small and giant factories and companies.



WEBSITE

kipartnership.com



PHONE / WHATSAPP

+62 858 5009 8888



EMAIL

info@kipartnership.com
pt.kuwait.partnership@kipartnership.com



ADDRESS

AD Premier Lantai 5 Suite 6,
Jalan TB Simatupang Nomor 05,
Ragunan, Pasar Minggu,
Kota Adm. Jakarta Selatan,
DKI Jakarta





PT KUWAIT INDONESIA PARTNERSHIP

CONTRACTING, IMPORT & EXPORT

We carry out our work with flexibility and high effectiveness, and with confidence we make bold decisions that enhance the interests of our partners.

kipartnership.com · +62 858 5009 8888